

7
Suzanne Peckin
CY-B526

DOCKET FILE COPY ORIGINAL

COMMUNICATIONS

April 12, 2004

REC'D APR 23 12 35

VIA ELECTRONIC FILING

Marlene H Dortch, Secretary
Federal Communications Commission
445 12th Street, SW
Washington, DC 20554

RECEIVED

MAY 24 2004

Federal Communications Commission
Office of the Secretary

Re: **ET Dockets 98-153 and 02-380**
Critique of Interference Study of
Ultra Wideband Technology

Dear Ms. Dortch

On February 18, 2004, the Coalition of C-Band Constituents ("Coalition") submitted a study ("Study") conducted by Alion Science and Technology ("Alion") concerning the potential for interference to C-Band satellite earth stations from Ultra-Wideband ("UWB") devices.¹ The undersigned companies have analyzed the Study and produced the attached report submitted as Attachment 1 to this letter. Our analysis determined that a significant part of the results and recommendations of the Study are excessively pessimistic due to the unrealistic assumptions used by Alion in the Study. When just some of Alion's assumptions are corrected to reflect the real world, Alion's own analysis demonstrates that UWB devices pose no threat of harmful interference to C-band operation.

Please do not hesitate to contact us if there are any questions with this submission.

Respectfully submitted,

By: _____/s/
Alereon, Inc.
Jeffrey L. Ross
Executive Vice President
7600 N Capital of Texas Highway
Building C, Suite 200
Austin, TX 78731

By: _____/s/
Broadcom Corporation
Jeyhan Karaoguz
Senior Principal Scientist - Communication
Systems R&D
16215 Alton Pkwy
PO Box 57013
Irvine, CA 92619-7013

No. of Copies rec'd _____
List ABCDE

COMMUNICATIONS
SECTION
APR 23 2004
RECEIVED

Marlene H Dortch, Secretary

April 8, 2004

Page 2

By: _____ /s/
femto Devices
Jonathon Cheah, Ph D.
President & CEO
5897 Oberlin Drive
Suite 208
San Diego, CA 92121

By: _____ /s/
FOCUS Enhancements
Michael F. Kelly
Vice President of Marketing
22867 NW Bennett Road
Suite 120
Hillsboro, OR, 97124, USA

By: _____ /s/
General Atomics Corporation
Dr. Michael D. Perry
Director
10240 Flanders Ct.
San Diego, CA 92121

By: _____ /s/
Hewlett-Packard Company
Frank Cloutier
Vice President and Chief Technology Officer,
Imaging and Printing Group
1000 NE Circle Blvd.
Corvallis, OR 97330-4239

By _____ /s/
Intel Corporation
Kevin C. Kahn
Intel Senior Fellow, Director Communications
Technology Lab
Corporate Technology Group
2111 NE 25th Ave
Hillsboro, OR 97124

By: _____ /s/
Institute for Infocomm Research
Francois Chin, Ph.D.
Manager, Digital Wireless Department
Communications & Devices Division
21 Heng Mui Keng Terrace
Singapore 119613

Marlene H Dortch, Secretary

April 8, 2004

Page 3

By _____ /s/ _____
Panasonic / Matsushita Electric Corp. of America
Peter M Fannon
Vice President, Technology Policy & Regulatory
Affairs
1130 Connecticut Avenue, N W
Suite 1100
Washington DC 20036

By _____ /s/ _____
Philips
Kursat Kimyacioglu
Director, Wireless Business Development, BL-C
1109 McKay Drive,
M/S 48A-SJ,
San Jose, CA 95131

By _____ /s/ _____
Samsung Electronics. (SAIT)
Yong Suk Kim
UWB Project Manager Ph.D.
i-Networking Lab.
Samsung Electronics. (SAIT)
14-1 Nongseo-ri Kiheung-eup
Yongin-si, Kyunggi-do 449-712

By _____ /s/ _____
Staccato Communications
Dr. Roberto Aiello
President and CEO
5893 Oberlin Dr., Suite #105
San Diego, CA 92121

By _____ /s/ _____
STMicroelectronics
Advanced System Technology Div.
Philippe Rouzet
WLAN/WPAN R&D Technical Manager
39, Chemin du Champ des Filles
CH 1228 PLAN LES OUATES - GENEVA
SWITZERLAND

Marlene H Dortch, Secretary
April 8, 2004
Page 4

By: _____ /s/
Texas Instruments
Yoram Solomon
General Manager, Consumer Electronics
Connectivity Business Unit
12500 TI Blvd
MS 8731
Dallas, TX 75243

By: _____ /s/
TRDA Inc.
Mike Tanahashi
Vice President, Research & Business
Development
2107 North First Street
Suite 370
San Jose, CA 95131

By: _____ /s/
TDK R&D Corporation
Pat Carson
V.P. Business Development
981 Ridder Park Drive
San Jose, CA 95131

By: _____ /s/
TZero Technologies
Oltac Unsal
Director
2735 Sand Hill Rd.
Menlo Park, CA 94025

By: _____ /s/
WiQuest Communications, Inc.
Matthew B. Shoemake, Ph D.
President and CEO
8 Prestige Circle
Suite 110
Allen, Texas 75002

By: _____ /s/
Wisair, Ltd.
David Yaish
President & CEO
15466 Los Gatos Blvd.
#109-253
Los Gatos, CA 95032

Marlene H Dortch, Secretary
April 8, 2004
Page 5

cc Ed Thomas
Julie Knapp
Alan Scrim
John Reed
Karen Rackely
Steve Jones
John Wang
Susan Crawford
Jeffrey Neumann
John Gabrysch
Wayne T. McKee
Rosalee Chiara
Tom Tycz
Richard Engleman
Robert Nelson
Ed Jacobs
Ron Chase
William Hurst
Rashmi Doshi

Attachment 1

A Critique of the Study and Final Report Titled

*Evaluation of UWB and Lower Adjacent Band Interference to
C-Band Earth Station Receivers*

By Alion Science and Technology

By

The MultiBand OFDM Alliance

Executive Summary

Recently the Coalition of C-Band Constituents ("CCBC") commissioned Alion Science and Technology ("Alion") to conduct a study of possible ultra wideband ("UWB") interference to C-Band satellite systems [1]. Alion concluded that at the present FCC-authorized power levels eventually "the combined effects of UWB devices will overpower C-band reception and render it impossible."

The conclusions of the Alion report are excessively pessimistic due to many unrealistic assumptions Alion used in their study. When some of Alion's assumptions are corrected to reflect the real world, Alion's own analysis demonstrates that UWB devices pose no threat of harmful interference to C-band operation

This report critically examines the assumptions in the Alion study and provides correction factors to conclusively show that UWB devices do not cause harmful interference to C-band reception. Three examples of these factors are given below.

1. The Alion study does not seem to account for an activity factor, which results in only a few UWB devices operating simultaneously in realistic deployment scenarios. Our activity factor analysis estimates that no more than perhaps 4% of the UWB devices in the field will be transmitting at any one time, based upon targeted current and future application usage models. We conservatively increased this to 10% to account for peak load factors and uncertainties in predictions of the future deployments. **This results in an activity factor correction of at least 10 dB, or a factor of 10.**

2. Alion assumes that all of the UWB emitters are suspended in space with a uniform distribution in height between zero and 100 meters. While they assume that roughly 1/3 of these have losses commensurate with urban propagation, they do not include building penetration loss for any of the emitters in their analysis. In reality, the vast majority of UWB devices will be indoors. We make a realistic assumption and place most of these emitters in buildings. We repeated Alion's analysis with 90% of the emitters randomly subjected to a 10 dB building penetration loss. **This results in a correction factor of 7.3 dB to be subtracted from Alion's power levels.**

3. Similarly, Alion used the FCC's peak sidelobe antenna mask (47CFR25.209) for their analysis of received power levels. It is more accurate to use average sidelobe levels, especially when one considers that the analysis is based upon energy impinging upon the satellite receiver antenna from numerous randomly chosen directions. We analyzed a commercially available satellite antenna and formulated a revised sidelobe mask that reflects the average sidelobes as opposed to peak sidelobes. We then repeated Alion's analysis with this antenna, and **obtained a correction factor of 7.4 dB to be subtracted from Alion's power levels.**

Just these three factors alone add up to a 24.7 dB (a scale factor of almost 300) difference between the original Alion results and the results including these realistic, and yet still conservative, factors. According to Alion's own conclusions, this difference is more than

sufficient to mitigate the interference concerns raised in their report, and would be sufficient to support more than 1 million UWB devices in a 5 km radius area. In addition, we show that the Alion report also included unrealistic or overly conservative assumptions about urban canyon path loss models, antenna elevation angles, and frequency loss factors which would further reduce the potential interference levels seen at the C-band receiver. The conclusion is clear that there will be no harmful interference caused to C-band receivers, and the FCC should support the current proposed limits for UWB devices.

Contents

	Executive Summary	ii
	Contents	iv
I.	Introduction	1
II.	The Alion Spatial Emitter Distribution	2
III.	Building Penetration Loss	7
IV.	Antenna Modeling	8
V.	The Activity Factor of the UWB Emitters	11
VI.	Earth Station Main Beam Elevation Angle	13
VII.	Path Loss Modeling	14
VIII.	Corrections to Alion's Conclusions	18
IX.	Conclusions	19
X.	References	21
	Appendix A	A-1